

## IFB ADDENDUM

September 4, 2008

### ADDENDUM NO. 2 TO ALL BIDDERS:

Reference – Invitation for Bid: IFB #09-02  
Commodity: 42000 Furniture  
Dated: August 19, 2008  
For Delivery To: Lee Hall, University of Mary Washington,  
Commonwealth of Virginia  
Bid Due: **September 15, 2008 at 2:00 PM**  
Optional Pre-Bid Conference: September 2, 2008, 10:00 AM

The above is hereby changed to read and answer questions:

This Addendum forms a part of the Contract Documents and modifies the original Bidding Documents dated AUGUST 19, 2008 AS NOTED BELOW. Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

This Addendum consists of twelve (12) pages and one (1) attachment.

### CHANGES TO BID DOCUMENTS

1. Invitation for Bid, 3<sup>rd</sup> paragraph, Bid due date. Delete “September 12, 2008” and insert in place there of “September 15, 2008”.
2. The revised Bill of Materials dated 8/29/2008 attached to addendum #2 will replace the Bill of Materials dated 7/31/2008 in the IFB-02 dated August 19, 2008.
3. The Pricing Schedule attached to addendum #2 will replace the Pricing Schedule attached to addendum #1.
4. Section II, Paragraph 1.3, Submittals. Line 3 starting with: and equipment and all samples specified in IFB. – Delete the words “within 10 days of the Notice of Intent to Award.” and insert the following: “Submittal of shop drawings, samples, cut sheets, and product data shall start upon issuance of the Notice of Intent to Award with all drawings and data submitted within 10 days following Notice of Award to Contract.” Subparagraph c. is deleted in its entirety.
5. Section II, Paragraph 1.3, Submittals. Add new subparagraph to read as follows:
  - C. Slatwall Finish Samples
    - a. Slatwall wood grain color samples may be requested from apparent successful bidder following bid opening, but prior to bid award.
6. Section V. USE OF PREMISES AND REMOVAL OF DEBRIS. Delete paragraph e. dealing with soil erosion and site runoff.
7. Section VII, Special Terms and Conditions, Paragraph K. Change “December 10, 2008” to “December 15, 2008”.

8. Section VII, Special Terms and Conditions, Paragraph R. Change “December 10, 2008” to “December 15, 2008”.
9. BOM, Item SW. Change “QTY 35 SW 4’x8’ horizontal” to “QTY 35 SW 8’x4”.
10. Drawing CA1. Delete “OPEN BASE – NO FACE PLATE REQUIRED” and insert in its place “BLACK TOE KICK REQUIRED FRONT AND SIDES”.
11. Drawing CO4. Change 12” inset from bottom of side panel to slatwall to 9”. Show slatwall panel installed in center of top of end panel. The front and back of the fixture mirror each other.
12. Drawing GC2. Add note: Base only, cubes and hardware are not included in procurement.
13. Drawing GC3. Add note: “Provide quantity 40, 16x16x16” clear glass cubes with chrome hardware with each base. Change over all dimensions for base from “36”x69” to 36”x45”.
14. Drawing SW, sheet 2 of 2. Change “4’x8’ VERTICAL” to “8’x4’.”
15. Drawing T2. Change Text Book Half Counter height from 36” to 48”. Add “Note 4: Units shall be furnished with finished backs”. Show all shelving as having hardwood nosing.
16. Drawing 106. Delete “METAL – HPL FINISH” and insert in its place “HARDWOOD NOSING”
17. Drawing 106A. Modify drawing to delete 3/16” x 1/8” tip from bottom of nosing. Extend bottom of nosing to fully cover lowest edge of shelf edge.

## CLARIFICATIONS

1. Question: BD Notebook/Binder Display – Do these go against a wall? Do they have casters?  
Answer: Item BD Notebook/Binder Display units are intended to be movable and therefore are not shown on the floor plan. They do not have wheels or casters.
2. Question: Please confirm the metal color on all Lozier fixtures?  
Answer: Black is preferred metal finish for all Lozire/Madix fixtures.
3. Question: What is the surface on slatwall panels?  
Answer: HPL. Wood grain color samples for Owner selection should be submitted for Owner selection at time of receipt of Intent to Award Contract.
4. Question: CO4 Cover Up Fixtures at Checkouts: Is the slatwall set back on both sides of this unit?  
Answer: Yes. The back of the unit is a mirror image of the front.
5. Question: Are sign panels shown on fixture drawings to be provided as part of the fixture?  
Answer: No. All sign panels are listed as separate items (SGH2 and SHTRB1)
6. Question: E1 Show Window Open Etagere with Glass Sliding Door: What is color of finish for adjustable shelf standards and brackets?  
Answer: Provide color samples for Owner selection.

7. Question: What is the approximate height and width for the MSWCE and 4SWCE Column Enclosures?  
Answer: Drop ceiling height at columns is 9'-8"; column finished width will vary between columns and will need to be field verified prior to construction.
8. Question: SP1 Spinner and End Panel Electronics. Do we include an End Panel with each Spinner?  
Answer: The End Panels of the Spinner are a part of the Spinner.
9. Question: SGH2 and SHTRB1. Are the sign holders made of wood or HPL?  
Answer: All sign holders are made of wood and finished to match HPL finish.
10. Question: The bid form is asking for a Virginia Contractor's license. Is an eVa registration or a vendor ID sufficient?  
Answer: The contractor or subcontractor who will be doing the actual fixture installations in Lee Hall has to hold a Class A Virginia Contractor's License. See Section VII, paragraph I.
11. Question: The site construction hours are shown as 7:00 am to 5:00 pm, Monday thru Friday. Can these hours be extended?  
Answer: Yes, with prior coordination with Owner.
12. Question: Page 7, Fabrication, A. General, 9. This paragraph calls for glides or heavy duty wheels on all freestanding fixtures. If this is in conflict with the item drawing, which takes precedence?  
Answer: The drawings.
13. Question: Page 8, D, Board Shelves, 2, E, Wood Shelves, 2. This seems to indicate that all wood shelves will be noticed and a 2" hole will be located in the bottom of all cases for electrical pass through. Is this necessary for all cases or only those with lighting or other electrical components.  
Answer: All cases in case the Owner wants to install electrical components at a later date.
14. Question: Page 9, J, Accessory Hardware, 1. This paragraph calls for all metal finishes for store fixtures to be satin brushed aluminum. This appears to be in conflict with a number of the design drawings. Does this apply to small accessories only?  
Answer:
  - A. Gondola metal finishes shall be Lozier/Madix black.
  - B. All slatwall inserts shall be black finish.
  - C. All drawer hardware and hinges shall be satin brushed aluminum.
15. Question: Page 9, Accessory Hardware, 7. Should casters be locking.  
Answer: Casters shall be locking on opposite sides of fixture. Wheels on wood fixtures shall be locking on opposite sides of fixture. 4-Ways and round table/rack casters shall not be locking.
16. Question: Is the fixture supplier/installer required to have a Virginia Class C Contractor's license?  
Answer: Refer to IFB Section VII, paragraph I.
17. Question: Inspection. Is permitted for the successful bidder to visit the site after being selected as the fixture supplier?  
Answer: Such a visit is encouraged since supplier will have to take or verify dimensions within the store. Successful supplier should contact Mr. Len Shelton, (540) 654-1299, [lshelton@umw.edu](mailto:lshelton@umw.edu) to arrange such a visit.
18. Question: Can Owner provide a materials list?  
Answer: Bidders are referred to Section II, Paragraph 1.2, B; and Section III, paragraph 1.2 of the IFB.
19. Question: In drawing CA-1, how is the security compartment attached to the fixture?  
Answer: The security compartment is part of Lozier's showcase component parts and is supported by the slotted uprights system.

20. Question is melamine finish allowed?  
 Answer: Refer to Section III, Paragraph 1.2, Subparagraph M of the IFB.
21. Question: Will textbook gondolas be fitted with valences.  
 Answer: No.
22. Question: What facilities will be available for unloading and moving fixtures to the bookstore?  
 Answer: There are two entrances into the building that can be used for moving fixtures into the building. One has a loading dock that is accessible to large trucks; however it may not accommodate a 53' trailer unit. The building has two elevators the largest of which has a 3'-6" doorway, a 6'-8" wide x 4'-3" deep x 8'-0" high cab and a load capacity of 2500 lbs.
23. Questions: Will the bidder be responsible for providing dumpster service for removal of trash?  
 Answer: No. UMW will provide an 8 yard dumpster.
24. Question: Who installs the slatwall?  
 Answer: Installation of slatwall including any backing required is the responsibility of the bidder. Note: Building internal walls and columns have not been blocked to receive slatwall of fixtures.
25. Question: Are there fixtures on the columns that will receive slatwall, MSWCEE and 4SWCE slatwall enclosures?  
 Answer: Yes, electrical and thermostats.
26. Question: Items GC2 and GC3. Are the glass cubes and hardware included in the purchase?  
 Answer: Yes. See Bid Document Change items 12 and 13.
27. Question: What level is the Merchandising Plan CAD drawing in, AutoCAD drawing is attached.  
 Answer: The drawing is CAD-2008LT
28. Question: Are electrified fixtures to be hardwired?  
 Answer. No. All electrical cords are to be provided with a standard 120V male 3 prong plug.

Note: A signed acknowledgment of this addendum must be received at the location indicated on the IFB either prior to the due date and hour or attached to your proposal. Signature on this addendum does not substitute for your signature on the original proposal document. The original proposal document must be signed.

Roxanne Ehardt  
 Buyer Specialist  
 Phone: 540-654-1057

Name of Firm \_\_\_\_\_ Signature/Title \_\_\_\_\_ Date \_\_\_\_\_

**XII. PRICING SCHEDULE: BIDDER TO COMPLETE.** The Bidder agrees to provide products and services in compliance with the Scope of Work and Terms and Conditions of this Invitation for Bid at firm pricing. If unable to quote product specified because product number is obsolete indicate part number of product being quoted, and submit a substitute which is equal to quality, capacity and function as specified equipment, insert the word "SUBSTITUTE" in large block letters beside item description. UMW will have the final determination as to if additional equipment quoted is equal to specified equipment. **Any bidder who entered \$0 on a pricing blank or leaves it blank may be considered non-responsive.**

**BID FORM**

ITEM	DESCRIPTION	UNIT COST	# of UNITS	EXTENDED COST
<b>ABPF</b>	ART Board	\$_____	1	\$_____
<b>BD</b>	Notebook/Binder Display	\$_____	4	\$_____
<b>BD1</b>	Book Drop Unit	\$_____	2	\$_____
<b>CA1</b>	Computer Accessories	\$_____	2	\$_____
<b>CO4</b>	Unit at Checkout	\$_____	6	\$_____
<b>CONV1</b>	Convenient Store Island Fixture, 36"	\$_____	2	\$_____
<b>CONV1</b>	Convenient Store Island Fixture, 48"	\$_____	3	\$_____
<b>CU1</b>	Condiment Unit	\$_____	1	\$_____
<b>E1</b>	Show Window Open Etagere, 48"	\$_____	1	\$_____
<b>EC1</b>	Text Book End Platform, 24"	\$_____	15	\$_____
<b>EC2</b>	Supplies End Platform, 24"	\$_____	1	\$_____
<b>EL1</b>	Electronics Unit, 36"	\$_____	5	\$_____
<b>EL1</b>	Electronics Unit, 48"	\$_____	1	\$_____
<b>EMB</b>	Emblamatics Island Fixture, 48"	\$_____	3	\$_____
<b>EP1</b>	End Panel	\$_____	10	\$_____

<b>*GC2</b>	Glass Cube Base	\$ _____	1	\$ _____
<b>*GC3</b>	Glass Cube Base w/glass cubes and hardware	\$ _____	1	\$ _____
<b>HCH</b>	Checkout, 4'-0"	\$ _____	4	\$ _____
<b>MSWCE</b>	Column Enclosure, Slatwall 3 sides, mirror 1 side	\$ _____	2	\$ _____
<b>NT1</b>	Nesting Tables	\$ _____	3	\$ _____
<b>RCLT</b>	Rectangular Level Table	\$ _____	2	\$ _____
<b>R1</b>	Round Table	\$ _____	2	\$ _____
<b>R42T</b>	42" Round Table	\$ _____	2	\$ _____
<b>S2</b>	Supplies Island Fixture, 36"	\$ _____	2	\$ _____
<b>S2</b>	Supplies Island Fixture, 48"	\$ _____	7	\$ _____
<b>SP1</b>	Spinner and End Panel	\$ _____	3	\$ _____
<b>SW</b>	Slatwall, 8'x4' Horizontal	\$ _____	35	\$ _____
<b>SW</b>	Slatwall, 4'x8' Vertical	\$ _____	6	\$ _____
<b>SW</b>	Slatwall, 4'x10' Horizontal	\$ _____	1	\$ _____
<b>SW1D</b>	Show Window Display			
	a. SYPED6319	\$ _____	3	\$ _____
	b. SYTABLE	\$ _____	6	\$ _____
	c. SYUPR	\$ _____	5	\$ _____
	d. SYTF	\$ _____	3	\$ _____
	e. SYTM	\$ _____	2	\$ _____
	f. SYF-A	\$ _____	2	\$ _____
	g. SYF-M	\$ _____	2	\$ _____
	h. SYSHIRT	\$ _____	3	\$ _____
	i. SYTIK35	\$ _____	3	\$ _____
	j. SYTIL24	\$ _____	3	\$ _____
<b>*4SWCE</b>	Slatwall 4 Side Column Enclosure	\$ _____	4	\$ _____
<b>T1</b>	Textbook Metal Wall Unit, 51.5"Wx96"H	\$ _____	4	\$ _____
<b>T2</b>	Textbook Metal Wall Unit, 36"Wx48"H	\$ _____	10	\$ _____

<b>T2</b>	Textbook Metal Wall Unit, 48"Wx48"H	\$_____	16	\$_____
<b>TB4</b>	Textbook Island Fixture, 36"	\$_____	2	\$_____
<b>TB4</b>	Textbook Island Fixture, 48"	\$_____	12	\$_____
<b>TB42B</b>	Gondola, 48"	\$_____	22	\$_____
<b>TRB3</b>	Tradebook Unit, 48"	\$_____	4	\$_____
<b>4W1</b>	4-Way Rack	\$_____	14	\$_____
<b>4W2</b>	Slatwall Pinwheel & Shelves, 30"x30"	\$_____	2	\$_____
<b>4W3</b>	Slatwall Pinwheel & Shelves, 24"x24"	\$_____	2	\$_____
<b>SHG2</b>	Gondola Sign Holder Textbooks/Supplies	\$_____	55	\$_____
<b>SHTRB1</b>	Gondola Sign Holder Trade Books	\$_____	4	\$_____
<b>ACC1</b>	Vinyl Book Title Pockets w/Velcro Strips	\$_____	2000	\$_____
<b>ACC2</b>	Figure - Male	\$_____	6	\$_____
<b>ACC3</b>	Figure - Female	\$_____	6	\$_____
<b>ACC4</b>	A-Frame	\$_____	1	\$_____
<b>ACC5</b>	Clip Strips	\$_____	24	\$_____
<b>ACC6</b>	Shelf, Glass	\$_____	30	\$_____
<b>ACC7</b>	Shelf, Glass	\$_____	36	\$_____
<b>ACC8</b>	Shelf Bracket	\$_____	174	\$_____
<b>ACC9</b>	4" Display Hook	\$_____	96	\$_____
<b>ACC10</b>	6" Display Hook	\$_____	192	\$_____
<b>ACC11</b>	8" Display Hook	\$_____	192	\$_____
<b>ACC12</b>	12" Display Hook	\$_____	192	\$_____
<b>ACC13</b>	8" Flip Scan Hook	\$_____	4000	\$_____

<b>ACC14</b>	4" Flip Scan Hook	\$_____	2000	\$_____
<b>ACC15</b>	Flip Scan Labels	\$_____	4000	\$_____
<b>ACC16</b>	Brochure Holder	\$_____	12	\$_____
<b>ACC17</b>	Brochure Holder	\$_____	6	\$_____
<b>ACC18</b>	Cap Holder	\$_____	48	\$_____
<b>ACC19</b>	Sign Holder	\$_____	24	\$_____
<b>ACC20</b>	Sign Holder	\$_____	12	\$_____
<b>ACC21</b>	Brochure Packet	\$_____	12	\$_____
<b>ACC22</b>	Acrylic Shelf	\$_____	36	\$_____
<b>ACC23</b>	Slant Base Display	\$_____	11	\$_____
<b>ACC24</b>	Acrylic Slatwall Graphic Display	\$_____	2	\$_____
<b>ACC25</b>	Adult Dress Hanger	\$_____	2000	\$_____
<b>ACC26</b>	Adult Skirt Hanger	\$_____	625	\$_____
<b>ACC27</b>	Children's Hanger	\$_____	100	\$_____
<b>ACC28</b>	Kiddies' Hanger	\$_____	100	\$_____
<b>ACC29</b>	Shirt/pants Hanger	\$_____	100	\$_____
<b>ACC30</b>	Shelf	\$_____	60	\$_____
<b>ACC31</b>	12" Face Out	\$_____	96	\$_____
<b>ACC32</b>	8" Ball Waterfall	\$_____	60	\$_____
<b>ACC33</b>	Acrylic Bulk Bin	\$_____	24	\$_____
<b>ACC34</b>	Shelve	\$_____	4	\$_____
<b>ACC35</b>	Shelf Bracket	\$_____	12	\$_____

<b>*EC2</b>	End Platform	\$ _____	1	\$ _____
<b>*EP2</b>	End Panel	\$ _____	20	\$ _____

**Total Cost of specified equipment:** \$ \_\_\_\_\_

**Installation, Delivery and all other Charges Associated with this Project:** \$ \_\_\_\_\_

**Total Cost of Project:** \$ \_\_\_\_\_

\_\_\_\_\_ **dollars** \_\_\_\_\_ **cents**

**\*Changes to Bid form from original IFB.**

# University of Mary Washington

## BILL OF MATERIALS

8/29/2008

Quan.	Item	Description
1	<b>ABPF</b>	Art board
4	<b>BD</b>	Notebook / Binder Display
2	<b>BD1</b>	Book Drop Unit
2	<b>CA1</b>	36" Computer Accessories
6	<b>CO4</b>	Unit at Checkout
2	<b>CONV1</b>	36" Convenient Store Island Fixture
3	<b>CONV1</b>	48" Convenient Store Island Fixture
1	<b>CU1</b>	Condiment Unit
1	<b>E1</b>	48" Show Window Open Etageres
15	<b>EC1</b>	24" Text Book End Platform
1	<b>EC2</b>	Text Book End Platform
5	<b>EL1</b>	36" Electronics Unit
1	<b>EL1</b>	48" Electronics Unit
3	<b>EMB</b>	48" Emblamatics Island Fixture
10	<b>EP1</b>	End Panel
1	<b>GC2</b>	16x16x16 Glass Cube Base
1	<b>GC3</b>	18x18x18 Glass Cube Base
4	<b>HCH</b>	4'-0" Checkout
2	<b>MSWCE</b>	Slatwall 3 Sides/Mirror 1 side Column Enclosure,
3	<b>NT1</b>	Nesting Tables
2	<b>RCLT</b>	Rectangular Level Table
2	<b>R1</b>	Round Table. Black w/36" Glass Top and Casters, Melvin S. Roos & Co.
2	<b>R42T</b>	42" Dia. Round Table
2	<b>S2</b>	36" Supplies Island Fixtures
7	<b>S2</b>	48" Supplies Island Fixtures
3	<b>SP1</b>	Spinner & End Panel
35	<b>SW</b>	Slatwall, 8'x4' horizontal, Wind Mill. Spacewall or Marlite
6	<b>SW</b>	Slatwall, 4'x8' vertical, Wind Mill. Spacewall or Marlite
1	<b>SW</b>	Slatwall, 4'x10' horizontal, Wind Mill. Spacewall or Marlite

	<b>SW1D</b>	Show Window display, Econoco Mfg., with following accessories:
3		a. Base, SYPED6319,
6		b. 18" Square Table w/Adjustable Upright, SYTABLE
5		c. Adjustable Upright for Forms, SYUPR
3		d. Female Torso, SYTF
2		e. Male Torso, SYTM
2		f. Pair of Arms, Straight at Side, SYF-A (Female)
2		g. Pair of Arms, Straight at Side, SYF-A (Male)
3		h. Shirt Board 10x14 w/Fixed Slant, SYSHIRT
3		i. 35"H Alligator Clip Sign Holder, SYTIK35
3		j. 24"H Alligator Clip Sign Holder, SYTIK24
6	<b>4SWCE</b>	Slatwall 4 Sides Column Enclosure
4	<b>T1</b>	Textbooks Metal Wall Unit, 51.5" wide x 96" tall
10	<b>T2</b>	Textbooks Metal Wall Unit, 36" wide x 48" tall
16	<b>T2</b>	Textbooks Metal Wall Unit, 48" wide x 48" tall
2	<b>TB4</b>	36" Text book Island Fixture On Wheels
12	<b>TB4</b>	48" Text book Island Fixture On Wheels
22	<b>TB42B</b>	48" 42" x 54" Gondola
4	<b>TRB3</b>	48" Tradebooks Unit
14	<b>4W1</b>	4-Way Rack, Melvin S. Roos & Co.
2	<b>4W2</b>	30" x 30" Slatwall Pinwheel & Shelves on Casters
2	<b>4W3</b>	24" x 24" Slatwall Pinwheel & Shelves on Casters
55	<b>SHG2</b>	Gondola Sign Holder Text Books/Supplies
4	<b>SHTRB1</b>	Gondola Sign Holder Trade Books
2000	<b>ACC1</b>	Hanging Vinyl Book Title Pockets w/Velcro Strip, 3-1/2" high x 5" wide pocket, Southern Imperial
6	<b>ACC2</b>	Figure w/o Base, Male, Melvin S. Roos & Co., Item 71190W
6	<b>ACC3</b>	Figure w/o Base, Female, Melvin S. Roos & Co., Item 71190W
1	<b>ACC4</b>	A-Frame, DISPLAYS2GO Catalog Item AFS2228BLK
24	<b>ACC5</b>	Clip Strips, 12", Black
30	<b>ACC6</b>	Shelf, 1/4" Thick, Tempered Glass, Beveled and Polished Edge, Robert H. Ham 48"L x 10"D
36	<b>ACC7</b>	Shelf, 1/4" Thick, Tempered Glass, Beveled and Polished Edge, Robert H. Ham 48"L x 10"D
174	<b>ACC8</b>	Shelf Bracket, Black, 10", Robert H. Ham, EBL-10KB Slatwall Display Hooks, DISPLAYS2GO, Black
96	<b>ACC9</b>	a. 4", SWHOOK4BK

<b>192</b>	<b>ACC10</b>	b. 6", SWHOOK6BK
<b>192</b>	<b>ACC11</b>	c. 8", SWHOOK8BK
<b>192</b>	<b>ACC12</b>	d. 12", SWHOOK12BK
		Slatwall Flip Scan Hooks, Black, K.C. Store Fixtures
<b>4000</b>	<b>ACC13</b>	a. 8", Item 01808
<b>2000</b>	<b>ACC14</b>	b. 4", Item 01806
<b>4000</b>	<b>ACC15</b>	Slatwall Flip Scan Labels, K.C. Store Fixtures, Item 1890
<b>12</b>	<b>ACC16</b>	Brochure Holder, Robert H. Ham Item IM-SW49
<b>6</b>	<b>ACC17</b>	Brochure Holder, Robert H. Ham Item IM-SW811
<b>48</b>	<b>ACC18</b>	Cap Holder, Robert H. Ham , Item EBLCAP, Black
<b>24</b>	<b>ACC19</b>	Sign Holder, 7"Wx5-1/2"H, Robert H. Ham Item HP/SG57H
<b>12</b>	<b>ACC20</b>	Sign Holder, 8-1/2"Wx11"H, Robert H. Ham Item HP/SG811H
<b>12</b>	<b>ACC21</b>	Counter Brochure Packet, DISPLAYS2GO Item LH40
<b>36</b>	<b>ACC22</b>	Acrylic Shelf, 12"Lx4"D, Robert H. Ham Item D-2005
<b>11</b>	<b>ACC23</b>	Slant Base Side-Loading Display, DISPLAYS2GO Item ASH8511
<b>2</b>	<b>ACC24</b>	Acrylic Slatwall Graphic Display, DISPLAYS2GO Item SLP1824
		Hangers, Black Body w/Chrome Hood, Robert H. Ham or equal
<b>2000</b>	<b>ACC25</b>	a. 17" Adult Dress Hanger, Super Heavy Duty, 18# Capacity, Item H-101B
<b>625</b>	<b>ACC26</b>	b. 14" Adult Skirt Hanger, Super Heavy Duty, 19# Capacity, Item H-301B
<b>100</b>	<b>ACC27</b>	c. 14" Children's Hanger. Item H1065C
<b>100</b>	<b>ACC28</b>	d. 12" Kiddies' Hanger, Item H1075C
<b>100</b>	<b>ACC29</b>	e. Skirt/Pants Hanger, Item H1031C
<b>60</b>	<b>ACC30</b>	Shelves, 16"Wx10"D. Robert H. Ham, Item D-2256
		Face Outs, Black, Robert H. Hamm
<b>96</b>	<b>ACC31</b>	a. 12" Straight Arm, Item EBL-12
<b>60</b>	<b>ACC32</b>	b. 6" Ball Waterfall, Item EBL-6B
<b>24</b>	<b>ACC33</b>	Acrylic Standard Bulk Bin, 5-1/2"Wx5-1/2"Hx7-1/2"D, DISPLAYS2GO Item SWBIN75
<b>4</b>	<b>ACC34</b>	Economy Shelving, Robert H. Ham, Item MS-124B
<b>12</b>	<b>ACC35</b>	Shelf Bracket, Black, 12", Robert H. Ham, EBL-12KB